

Preston Motorcycles

Waterloo Road Ashton Preston PR2 1BQ
Sales: 01772 727 213 Email: sales@prestonmotorcycles.co.uk

Keeway RKF 125 2019

Sport Naked

£2,299 ^{+OTR}
from **£46.18** p/m



With its edgy and eye-catching look, RKF 125 is the new naked Keeway with a unique, modern personality. RKF is a sleek and extremely dynamic smart bike, designed to provide maximum fun in the curves. Its heart is the new single-cylinder, four-stroke, liquid-cooled 125 cc engine offering excellent street performance. Its maximum power is 9 kW at 9500 rpm, with torque of 10 Nm at 7500 rpm. As a result of the partnership with Storied Italian Manufacturer Benelli, RKF benefits from the latest in Multi Valve, Multi Spark engine BMT technology to achieve higher fuel efficiency. ?Lean combustion without sacrificing power is achieved by mixing fuel and air above the theoretical air-fuel ratio (14.7:1). But too lean a fuel and air mixture is not an easy task to ignite. The BMT power platform adopts a higher compression ratio, and the temperature of the mixture is higher and easier to ignite when the piston reaches the top dead centre, literally more Bang for your Buck! With the fitment of USD forks as standard a refined comfort level that feels like it belongs to larger super-sport machines is achieved. The BMT engine platform, together with the engine technology from the century-old Benelli, has a number of technical advantages in engine platform(such as multi-valve multi-spark plug) . The BMT power platform is mainly represented by high-speed, high-power, high-performance engines, and is equipped with high-end personalized and sporty models of Benelli. At present, the BMT power platform mainly focuses on small displacements below 250cc motorcycle engine. It will gradually expand to small displacement scooter engines and cub engines.

Engine

ENGINE TYPE 1-cylinder/4-stroke/4-valve	RATED OUTPUT 9.0kW/9500 r/min	EXHAUST SYSTEM Euro 4 Compliant	FINAL DRIVE Chain	SPARK PLUG N/A
DISPLACEMENT 124.8cc	MAX. TORQUE 10N.m/7500 r/min	CERTIFICATION Euro 4	IGNITION TLI	STARTING Electronic
BORE X STROKE 54mm x 54.5mm	LUBRICATION Pressure Splash	CLUTCH Wet multi-plate	COOLING SYSTEM Water Cooled	
COMPRESSION RATION 11:1	FUEL SUPPL Electronic Fuel Injection	GEARBOX 5 Speed	BATTERY 12V6Ah	


Chassis

FRAME Arch bar Truck	FRONT BRAKE Disc	REAR BRAKE Disc	REAR RIM TYPE Cast	REAR TYRE 130/70-17
FRONT SUSPENSION Telescopic Forks	REAR SUSPENSION Swingarm	FRONT RIM TYPE Cast	REAR RIM DIMENSION 17 in	HEADLIGHT LAMP N/A
FRONT SUSPENSION STROKE 115mm	REAR SUSPENSION STROKE 50mm	FRONT RIM DIMENSION 17 in	FRONT TYRE 100/80-17	TAILLIGHT LAMP N/A

Dimension

LENGTH 2020mm	HEIGHT 1070mm	UNLADEN WEIGHT 137kg	USABABLE TANK VOLUME 10 Ltr	WHEELBASE 1345mm
WIDTH 780mm	GROUND CLEARANCE 170mm	PERMITTED TOTAL WEIGHT 150kg	RESERVE N/A	SEAT HEIGHT 770mm

Colour Options



Contact us

Preston Motorcycles

Waterloo Road Ashton Preston PR2 1BQ

Phone: 01772 727 213

Email: Preston Motorcycles

Website: <https://www.prestonmotorcycles.co.uk>

Working Time

Monday-Friday: 9.00am 6.00pm

Saturday: 9.00am 5.00pm

Sunday: 11.00am 4.00pm